


FAMILY OWNED SINCE 1946

WHAT STARTED IN 1946 AS A SMALL HAND **OPERATION IN SANTA ANA, CALIFORNIA WITH** DAD AND HIS BUSINESS PARTNER, HAS EVOLVED INTO WHAT IS NOW A 3RD GENERATION FAMILY BUSINESS... AND WE COULD NOT HAVE DONE IT WITHOUT YOU, OUR CUSTOMERS. AS WE HONOR THE PAST AND BUILD ON TO THE FUTURE, WE CON-STANTLY CHALLENGE OURSELVES TO FIND BETTER WAYS TO SERVE YOU AND THE INDUSTRY. WE BELIEVE THAT QUALITY PRODUCTS AND UNRIVALED SERVICE ARE VITAL RESOURCES WE MUST GUARAN-TEE FOR OUR CUSTOMERS. AT THE SAME TIME, WE MUST INNOVATE AND PROVIDE NEW PRODUCTS. THE INTRODUCTION OF ORCO NATURAL STONE EXPANDS OUR PRODUCT LINE INTO HIGH QUALITY NATURAL STONE. TEAMING WITH MARSHALL'S, A WORLD-WIDE LEADER, ORCO NOW OFFERS PREMIUM NATURAL STONE FROM Asia - mined ethically, with no child LABOR. I INVITE YOU TO EXPLORE AND BRING YOUR PROJECTS TO LIFE WITH **ORCO NATURAL STONE.**

THANK YOU FOR THE OPPORTUNITY TO EARN YOUR BUSINESS.

RICK MUTH, PRESIDENT





WHY CONSIDER ORCO NATURAL STONE?

PREMIUM CUT STONE:

• EXCEPTIONALLY BEAUTIFUL COLORS AND VEINING WITH A WIDE VARIETY OF TEXTURE, EDGE, AND FINISH OPTIONS, PLUS MATCHING STEPS & COPING.

- MOUNTS.
- SOURCED FROM INDIA, OUR SANDSTONE AND QUARTZ-ITE ARE SIGNIFICANTLY OLDER AND DENSER THAN TYPICAL SANDSTONES.
- LOW WATER ABSORPTION LESS POROUS THAN OTHER SANDSTONES, WHICH HELPS LIMIT ORGANIC GROWTH, MINIMIZES DELAMINATION, AND PROVIDES EXCELLENT PERFORMANCE IN FREEZE / THAW ENVIRONMENTS.
- HIGH FLEXURAL STRENGTH DOCUMENTED LAB TESTS IN APPLICATIONS LIKE DECKING, PEDESTALS, ETC.



TABLE OF CONTENTS

PROJECT PACKS 04 DECKING 10 24 X 24's 12 **MORTARS & SEALERS** 14 STEPS & COPING 15 COLORS & FINISHES 16 PATTERNS 20

• PRECISELY CUT AND CALIBRATED – OUR SAWN STONE HAS A PLUS OR MINUS 2 MM VARIANCE, IT'S EASY TO INSTALL IN A WIDER VARIETY OF APPLICATIONS ... INCLUDING PEDESTAL

PROVE HIGH FLEXURAL CAPABILITIES, WHICH ARE CRITICAL

WARRANTY: ORCO NATURAL STONE PRODUCTS ARE LAB TESTED ACCORDING TO ASTM STANDARDS FOR ABSORP-TION, FLEXURAL (MODULUS OF RUPTURE), COEFFICIENT OF FRICTION, AND COMPRESSIVE STRENGTH ATTRIBUTES. TEST **REPORTS ARE AVAILABLE UPON REQUEST. THE WARRANTY** IS ONE YEAR FROM DATE OF INSTALLATION. VISIT ORCO.COM FOR COMPLETE ORCO NATURAL STONE WARRANTY TERMS AND CONDITIONS.

SPECIAL ORDER: THE PRODUCTS HIGHLIGHTED IN THIS PRESENTATION COVER A SMALL PORTION OF THE ENTIRE STONE PRODUCT LINE. ON A SPECIAL ORDER BASIS, ORCO HAS AVAILABLE MANY OTHER COLOR, TEXTURE, EDGE, AND FINISH OPTIONS. THIS INCLUDES PRODUCTS FOR WALL CLADDING.

This logo is your assurance that these products are quarried and processed to the strict standards of the Ethical Trading Initiative, ensuring NO CHILD LABOR, FAIR WAGES, AND SAFE WORKING CONDITIONS.

FAIRSTONE IS A TRADEMARK OF MARSHALL'S PLC AND IS USED UNDER LICENSE







THICKNESS 22 MM					
FINISH EDGE RIVEN NATURAL					
	APP	LICATIO	NS		
+ PLAZAS	+ PA	SEOS	+ DECKING		
+ PATIOS	+ BA	LCONIES	+ POOL DECKS		
(NON-VEHICULAR ONLY)					
CREATE YOUR DESIGN					
LARGE FORMAT WITH 5 SHAPES TOGETHER IN A PROJECT PACK.					
SHAPES SIZES SQ FT /					

SHAPES (IN)	SIZES (MM)	SQ FT / PACK
22 x 33	560 x 845	
22 X 22	560 X 560 💧	
16 x 22	417 x 560 👌	163.9
11 x 22	275 x 560	
11 x 11	275 X 275	











DRIFT WOOD 5 SHAPES

THICKNESS 22 MM				
FINISH EDGE RIVEN NATURAL				
APPLICATIONS				
+ PLAZAS	+ PASEOS	+ DECKING		
+ PATIOS + BALCONIES		+ POOL DECKS		
	(NON-VEHICULAR ON	ILY)		
CREATE YOUR DESIGN LARGE FORMAT WITH 5 SHAPES TOGETHER IN A PROJECT PACK.				
SHAPES (IN)	SIZES (MM)	SQ FT / PACK		
22 x 33	560 x 845			
22 X 22	560 X 560			
16 x 22	417 x 560	163.9		

11 x 11275 X 275ALWAYS VERIFY COLOR AND TEXTURE WITH ACTUAL SAMPLES.ALL SPECIFICATIONS ARE APPROXIMATE. STEPS & COPINGAVAILABLE - SEE PAGE 15. FOR COMMON PATTERNS, SEE PAGE 20


275 x 560

11 x 22













CARMEL 5 SHAPES

THICKNESS 22 MM				
FINISH EDGE SHOT BLAST / CLEAR BLAST SAWN				
APPLICATIONS				
+ PLAZAS	+ PASEOS	+ DECKING		
+ PATIOS	+ BALCONIES	5 + POOL DECKS		
(ON-VEHICULAR ONLY)				
CREATE YOUR DESIGN LARGE FORMAT WITH 5 SHAPES TOGETHER IN A PROJECT PACK.				
SHAPES (IN)	SIZES	SQ FT / PACK		
22 x 33		-		
22 X 22	560 X 56	0		


SHAPES (IN)	(MM)	PACK
22 x 33	560 x 845	
22 X 22	560 X 560 💧	
16 x 22	417 x 560	163.9
11 x 22	275 x 560	
11 x 11	275 X 275	

ALWAYS VERIFY COLOR AND TEXTURE WITH ACTUAL SAMPLES. ALL SPECIFICATIONS ARE APPROXIMATE. STEPS & COPING AVAILABLE - SEE PAGE 15. FOR COMMON PATTERNS, SEE PAGE 20



FOR PROPER INSTALLATION, USE ORCO NATURAL STONE INSTALLATION GUIDE.










LINEAR PLANKS					
THICKNESS 20 MM					
FINIS SHOT BLAST / C		EDGI sawn	E		
+ PATIOS + DECKING	APPLICATIO + BALCONIES + TERRACES (NON-VEHICULAR C	S + POC)L DECKS		
CREATE YOUR DESIGN LONG NARROW PLANKS IN FULL AND HALF SIZES.					
SHAPES (IN)	SIZES (MM)	PLANKS/ PACK	SQ FT / PACK		
8 x 20	200 x 500	160	172		
8 x 40	200 x 1000		172		
	TANDARD C				
ALL SPECIFICA	+ TRESTLE	E WITH ACTUAL MATE. STEPS &	SAMPLES.		









		Praz	-ZU	
24 X 24s				
		THICKNE 30 MM		
	FINIS RIVEN FLAMED / BI	OR	EDGE NATURAL OR SAWN	
	+ PEDESTALS	APPLICATI	• • • •	745
	+ DECKING	+ PASEOS	+ TERI	RACES
	NATURAL EDGE S	ONLY; PEDESTAL	RE SPECIAL INST	
	CREATE YOUR DESIGN			
THICKER SQUARES WITH CLOSE DIMENSIO TOLERANCES PERFECT FOR LARGE SCALE PROJECTS AND PEDESTAL APPLICATIONS			SCALE	
	SHAPES (IN)	SIZES (MM)	STONES/ PACK	SQ FT / PACK
	24 x 24	600 X 600	36	139

STANDARD COLORS + GOLDEN SUNSET + DRIFT WOOD + NOIR

ALWAYS VERIFY COLOR AND TEXTURE WITH ACTUAL SAMPLES. ALL SPECIFICATIONS ARE APPROXIMATE. STEPS & COPING AVAILABLE - SEE PAGE 15. FOR COMMON PATTERNS, SEE PAGE 21



FOR PROPER INSTALLATION, USE ORCO NATURAL STONE INSTALLATION GUIDE.

Mortar, Sealers & Cleaners

MORTAR

+ OBP R-LASTIC MEMBRANE & ADHESIVE Elastomeric membrane and adhesive.

+ OBP POLY VBM BONDER Polymer modified bonding thin set.

+ OBP POLY VBM 300 & 500 Polymer modified bonding mortar.

JOINT MATERIALS & EDGE

+ OBP VP JOINT GROUT Joint grout.

+ OBP PERMEABLE CHIPS

For permeable installs. Larger angular aggregate. Promotes infiltration. + EDGE RESTRAINT An alternative to concrete set. 8" sections, 10" spikes.


SEALERS & CLEANERS

+ SEALERS Non-film forming Natural and Enhanced sealers. + CLEANERS General clean up and efflorescence removers.

**** IMPORTANT NOTE **** Never clean sandstone with hydrochloric or sulfuric acid based clean-ers that are intended to remove cement residue. Please contact your ORCO Block & Hardscape representative for more information.

CALYPSC





FOR PROPER INSTALLATION, USE ORCO NATURAL STONE INSTALLATION GUIDE.

Specialt



THICKNESS 50 MM				
FINISH EDGE				
SHOT BLAST / CLEAR BLAST FLAMED / BRUSHED BLASTED / BRUSHED		BULLNOSE		
	APPLICA	TIONS		
+ STEPS	+ POOLS /	SPAS + V	VALL CAP	
SHAPES (IN)	SIZES (MM)	PIECES/ PACK	PIECES/ PACK	
14 x 40	350 x 1000	20	65.5	
	AVAILABLE BY	THE PIECE		
STANDARD COLORS				
+ NOIR + CARMEL + CALYPSO				
ALWAYS VERIFY COLOR AND TEXTURE WITH ACTUAL SAMPLES. ALL SPECIFICATIONS ARE APPROXIMATE.				



BRING YOUR DESIGN TO LIFE -

With ORCO Natural Stone products, color is greatly influenced by the choice of finish. So each ORCO color name is tied to a specific finish. A *flamed/brushed* finish is darker and shows more veining than a shot blast/clear blast finish on the exact same stone. And a riven finish is somewhere in between. For information on the different finishes available, see page 18.

Available colors vary by product collection - Project Pack, Decking, Piazza and Specialty. Please contact your ORCO representative to confirm color/product availability and assistance with special orders. Not all colors/products are shown.



GOLDEN SUNSET



CALYPSO







DRIFT WOOD



CORAL - SPECIAL ORDER










AUTUMN - SPECIAL ORDER



SONOMA - SPECIAL ORDER




GRIGIO

LUNARE - SPECIAL ORDER

Colors



HIGHLAND - SPECIAL ORDER



Finishes



FLAMED / BRUSHED (smooth, matte surface)



RIVEN (natural cleft split)



HONED (smooth, polish) * SPECIAL ORDER *



NATURAL (handcut, distressed)



BULLNOSE (rounded)



SHOT BLAST / CLEAR BLAST (subtle texture)



ANTIQUE (aged natural cleft) * SPECIAL ORDER *






SAWN (distinct machine cut)

ORCO Natural Stone + 19


Common Patterns


PROJECT PACK

PLANKS




RANDOM ASHLAR (5 SHAPES)







REPEATING ASHLAR (5 SHAPES)











(2 SHAPES)

SQUARE



PLANKS



FOR PROPER INSTALLATION, USE ORCO NATURAL STONE INSTALLATION GUIDE.


ORCO Natural Stone + 21



OPCO for the Community

With every ORCO product you purchase, ORCO donates towards the community. ORCO gives a minimum of 5% of its pre-tax earnings to local and national charities and has been doing so since 1983.

TOGETHER WE BUILD A SOLID FOUNDATION





www.orco.com

ORCO PAVINGSTONES 4545 RUTILE ST RIVERSIDE, CA 92509 (951) 685-8498

ORANGE/LOS ANGELES HEADQUARTERS 11100 BEACH BLVD STANTON, CA 90680 (714) 527-2239


INLAND EMPIRE 4510 RUTILE ST RIVERSIDE, CA 92509 (951) 685-1521

COACHELLA/ IMPERIAL 35-240 DILLON RD INDIO, CA 92201 (760) 347-4000

SAN DIEGO 3501 OCEANSIDE BLVD OCEANSIDE, CA 92056 (760) 757-1780

FOR MORE INSPIRATION, CONNECT WITH US!







pinterest.com/ORCO

linkedin.com/company/ ORCO-Block-and-Hardscape



instagram.com/ORCOBlockandHardscape



houzz.com/pro/ORCO





FAIRSTONE IS A TRADEMARK OF MARSHALL'S PLC AND IS USED UNDER LICENSE.