
west coast

STEPLOCK®





INTERLOCKING SAND-SET PAVERS FOR PEDESTRIAN APPLICATIONS



STEPLOCK®

Why settle for the usual when you can have Artistic Pavers?

We won't crack you up, but we do make good pavers...

Regular poured concrete decks crack, Artistic Pavers flex between pavers avoiding cracks.

We are cool...

Cool on your feet. Most of our pavers are light colored and typically much cooler than most other deck surfaces.

Smooth, but not too smooth...

Our pavers are comfortable to walk on, but not too slippery, dry or wet.

Some exercising is fun, but exercising to clean your deck isn't...

That's why we manufacture our pavers to require very little maintenance. Because of additives and the high density of our pavers, algae, mildew and other yucky stuff have a difficult time growing on our product. Many natural and man made products require sealing to avoid the yucky stuff, we don't.

Salt pools, no problem...

Again, because our pavers are so dense, salt water from pools that use chlorinators will not damage our decking.

Save your precious toes...

Our pavers are designed for commercial and residential pedestrian traffic. Calibrating and beveling the border of our pavers keeps you from stubbing those precious little toes.

Great in cold weather...

Our product passed the rigorous 50 cycle freeze-thaw test with no measurable weight loss or cracking.

Lickety-split...

While you're sleeping, we're probably making pavers. Our standard pavers are usually ready for speedy delivery. Installation is quicker than installing a concrete slab with a topping, because our pavers don't require a slab and paver installations are less affected by bad weather.

It is great to be special...

We make many different types of coping. Bullnosed on one, two, three or all four sides of the paver. By using our coping, you are able to have a spa or raised wall without having a seam going through the middle of the coping.

We hate to call ourselves cheap, but we are very fairly priced...

Our pavers and coping add so much to the look of your backyard environment, are so functional, and will last so long, that you would think we cost a bunch. We don't, we are less costly than many materials that require slabs and a little more than some, but well worth it.

Different textures...

Texture is a defining component when deciding on pavers for your project. Artistic Paver Mfg.[®] offers different textures, from the natural look of stone or coral to a smooth polished surface honed to expose the natural aggregates, adding charm and character to any outdoor living space.


Using advanced technology, we also offer a 'polished & antiqued' finish, which yields a casual aged look with cushioned rounded bevels. This process leaves a casual inexact finish with softened dimples on the face and edges of the pavers, adding individual characteristics to each paver.

BEAUTY WHERE IT MATTERS MOST...

CORALLOCK

STONELOCK ANTIQUED DESERTLOCK POLISHED AND POLISHED & ANTIQUED LIMESTONELOCK POLISHED AND POLISHED & ANTIQUED

GRANITELOCK POLISHED AND POLISHED & ANTIQUED



DESERTLOCK




AVAVATATATATATATATATATA


The desert's elegance made comfortable.


DECK BY FLITE LANDSCAPES & STO

DESERTLOCK









Simplicity and sophistication.

WHITE PEARL

PLATINUM GRAY

FINISHES: POLISHED POLISHED & ANTIQUED

NOW AVAILABLE IN 12"X24"

WHITE PEARL

POLISHED

WHITE PEARL & PLATINUM GRAY POLISHED

GRANITELOCK[®] EEE

The timeless appeal of granite in a paver.

A stunning paver created in the texture of limestone.

ALMOND

LINEN GRAY

FINISHES: POLISHED POLISHED & ANTIQUED

NOW AVAILABLE IN 12"X24"

LINEN GRAY POLISHED & ANTIQUED

Our pavers are manufactured with natural materials and will vary in color. The variation in color and shade can enhance the natural look and beauty of the finished project.

POLISHED

ALMOND

LIMESTONELOCK® EEE

A refined paver with the class of limestone.

ALMOND POLISHED

A contemporary look.

SAND, COOL WHITE, SILVER SAM & CUSTOM COLOR POLISHED

COOL WHITE SILVER SAM

FINISHES: POLISHED POLISHED & ANTIQUED

8" x 24" x 2-3/8" Planklock®

SAND

Architects and Landscape Designers throughout the country are trending towards a more lineal look for decks.

Planklock[®] 8"x24" delivers a very contemporary look in a 2-3/8" thick paver designed for pedestrian applications.

The smooth polished finish, in its long and narrow design, creates a linear pattern that is stylish and sleek in appearance.



PLANKLOCK®

The sleek look of Planklock[®].

IVORY

The natural beauty of coral in a paver.





The distinguished look and texture of coral made durable.

The natural look of stones with all the benefits of pavers.

SANDSTONE

GRAYSTONE ANTIQUED





Our pavers are manufactured with natural materials and will vary in color. The variation in color and shade can enhance the natural look and beauty of the finished project.

ANTIQUED

SANDSTONE

STONELOCKTM EEE

Naturally beautiful.

A reliable source for architects,







Whether the project is a master planned development or a backyard retreat, Artistic Pavers is the right choice, providing a rich looking and durable solution.

Some of our commercial clients include:

Four Seasons Hotel & Resorts - AZ Wynn Hotels - NV Wyndham Hotel - Lake Tahoe - NV Heritage Highlands at Dove Mountain - AZ Albany Resort - Bahamas The Breakers - FL Mandalay Bay Hotel & Casino - NV Reunion Water Park - FL AC Hotels - Marriott, Tempe - AZ The City of Daytona Beach - FL The Ritz-Carlton Hotels - FL Wind Creek Casino & Hotel - AL

Central New Mexico Community College - NM Sundance Leisure - NY Marlins Ballpark - FL Westin Diplomat Resort - FL Aruba Marriott Resort & Stellaris Casino - Aruba Hilton Hotels - FL Cinnamon Beach at Hammock Beach - FL Dronningen International Hotel, Laguna Beach - CA Renaissance Orlando Resort at Seaworld - FL Margaritaville Hollywood Beach Resort - FL The Fairmont Turnberry Isle Resort & Club - FL Toll Brothers - FL: The Preserve at Juno Beach, Frenchman's Harbor in Palm Beach, Parkland Golf and Country Club, Altis at Sand Lake, Azura in Boca Raton.







contractors and homeowners.


ARTISTIC PAVER MFG.





For any project size...

ARTISTIC PAVER MFG.



the difference is in the details.





Steps using one-sided coping.

Straight-edge relaxed one sided coping.

Architectural details: adjacent, one, two and three sided coping.





Adjacent and one-sided coping.

Renovation coping 3", 4" and 5" face drop-down.

The Details

Artistic Paver Mfg.[®] offers many options of coping and specialty pieces to provide a rich looking and durable solution.

Artistic Paver's coping and specialty pieces are ideal for architectural and decorative accents such as:

Pool coping • Raised walls • Steps • Spillways Fountains • Benches • Planters • Remodeling Projects

This ensures that materials used for architectural solutions will coordinate with the Artistic Paver decking material. They will not only give your project a great look, but they also make installation easy, saving you time and money.

The result is a luxurious combination of beauty and technology that will keep you satisfied for many years to come.

Your driveway deserves the same quality as your deck...



ROADLOCK®



Designed for Vehicular Applications

Make a "Welcome to My Home" statement by choosing the same Artistic Pavers quality for your driveway.

Roadlock[®] driveway pavers have a stunning look and are a refreshing change to the old concrete driveways. Its polished and smooth surface adds beauty to any project.

Our high-quality driveway pavers will redefine your concept on how to keep your driveway looking its best. Built with the latest technology, they are durable and require very little maintenance.

Choose from a classic pattern or create your own. Mix and match colors to express your style and preferences. The end result will be an elegant entrance, while also enhancing the value of your property.

Sizes: 8"x8", 8"x12" & 12"x12" Thickness: 2-3/8"

> FINISHES: POLISHED POLISHED & ANTIQUED

DARK CHOCOLATE GOLDEN BROWN GRAND CANYON SILVER SAM

						CORALLOCK®	D	FSFR	TLO	CK™	SHE	1100	K [®] AS	LIMESTO	NFI OCK®	GRANI	TELOCK™	STON	I OCK™	PLANKLOCK		
STEPLOCK® INTERLOCKING SAND-SET PAVERS FOR PEDESTRIAN APPLICATIONS PRODUCTS LEGEND AVAILABLE NOW COMING SOON										POLISHED			POLISHED		POLISHED				POLISHED AND	ADTICT	IC PAVER MFG.®	
					FINISH	CORAL TEXTURED	POL	ISHED		QUED		HED & AN	NTIQUED	POLISHED &	ANTIQUED		& ANTIQUED	ANTIQUED		POLISHED & ANTIQUED	ARTIST	IC PAVER MIFG.
_	NOMINAL SIZE (in) THICKNESS(in) SPACER 4x8 (*) 1-5/8 NO					IVORY	COOL WHITE		CAPPUCCINO	BISCOTTI		TAN	CAFÉ	ALMOND	LINEN GRAY	WHITE PEARL	PLATINUM GRAY	SANDSTONE	GRAYSTONE	Specially designed for pedestrian		
	4x8 (*)				BORDER PAVER PAVER		-							-						applications, the	EASICC	AST FACTORY
U	8x8 8x12		1-5/8 1-5/8	NO NO NO	PAVER PAVER PAVING SLAB															8x24 Planklock is a 2-3/8" thick	120 NE 179	Pth Street
DAVERS	1 12x12		1-5/8																	plank with		Beach, FL 33162
	> 12x12		1-5/8	NO	PAVING SLAB															spacers.		
N N	16x16		1-5/8	NO	PAVING SLAB					_	_									To use the	Phone: (3	05) 653-7283
	24x24		1-5/8	NO	PAVING SLAB															2-3/8" thick 8x24 Planklock	Fax: (3	05) 653-7511
	8x24 PLAN	KLOCK	2-3/8	YES	PAVING SLAB															with any 1-5/8"		
	NOMINAL S	NOMINAL SIZE(in) ACTUAL SIZE(in)			DESCRIPTION															thick coping		
	4x8x1-5/8	4x8x1-5/8 3-5/8 ^(B) x7-3/4x1-5/8		-5/8	SINGLE SIDED															pieces, the deck		
	4x12x1-5/	(12x1-5/8 3-5/8 ^(B) x11-3/8x1-5/8			SINGLE SIDED															base needs to be adjusted to		
	4x12x1-5/				DOUBLE SIDED															match the coping	WEST CC	DAST FACTORY
	4x16x1-5/		3-5/8 ^(B) x15-3/8x1-5/8		SINGLE SIDED															thickness.		
	4 x16x1-5		3-5/8 ^(B) x15-5/8x1-5/8		DOUBLE SIDED																1508 N V.I.	
	4x16x1-5/		3-7/8 ^(B) x15-5/8x1-5/8		TRIPLE SIDED						_										Casa Gran	nde, AZ 85122
	12x12x1-		11-1/8 ^(B) x11-3/8x1-5/8		SINGLE SIDED																Phone:	(520) 426-3479
	12x12x1-		11-1/8 ^(B) x11-3/4x1-5/8		DOUBLE SIDED				_	_												
	12x12x1-5		8 ^(B) x11-3/4x		TRIPLE SIDED					_											Fax:	(520) 426-3485
	12x12x1-		4 ^(B) x11-3/4x		FOUR SIDED																	
	16x16x1-		15-1/8 ⁽ⁱⁱ⁾ x15-3/8x1-5/8 15-1/8 ⁽ⁱⁱ⁾ x15-5/8x1-5/8 15-3/8 ⁽ⁱⁱ⁾ x15-5/8x1-5/8 15-5/8 ⁽ⁱⁱ⁾ x15-5/8x1-5/8 22-7/8 ⁽ⁱⁱ⁾ x11-3/4x1-5/8 22-7/8 ⁽ⁱⁱ⁾ x11-3/4x1-5/8		SINGLE SIDED DOUBLE SIDED TRIPLE SIDED FOUR SIDED SINGLE SIDED DOUBLE SIDED																	
	16x16x1-														-							
C	16x16x1-									_												tistion average a
	24x12x1-																					tisticpavers.com
	24x12x1-					-										_					artisticpo	ivers.com
) 2441241-	4x24x1-5/8 22-7/8 ^(B) x23-1/4x1-5/8			SINGLE SIDED																	
		4x24x1-5/8 22-7/8 ^(B) x23-1/4x1-5/8		DOUBLE SIDED				_														
	24x24x1-		8 ^(B) x23-1/2		TRIPLE SIDED					-												
	24x24x1-		2 ^(B) x23-1/2		FOUR SIDED																VISI	T WATCH
	12x12x1-5	12x1-5/8 11-3/8 ^(B) x11-3/8x1-5/8			ADJACENT																	
	16x16x1-				ADJACENT																	
	24x24x1-	5/8 23-1/	23-1/4 ^(B) x23-1/4x1-5/8		ADJACENT																6 6 6 4	
	4x12x1-5/	12x1-5/8 DROP-FACE 3", 4" or 5"		4" or 5"	RENOVATION																	
	4x8x1-5/8				PRE-CUT SINGLE SIDED PRE-CUT DOUBLE SIDED STRAIGHT RELAXED-EDGE																E1986276	
	4x12x1-5/	8 3-5/8																			WEBSIT	ECLIP
	4x12x1-5/	8 3-5/8																				
	4x16x1-5/	8 3-5/8																				
	4x12x2-3	/8 3-5/8																			Foll	ow us on
	12x12x2-	3/8 11-1/	7 ^(B) x11-3/8x	(2-3/8	ONE SIDED ⁽²⁾																0 🖌 🖗	🔰 🈏 /artisticpavers
	DISCLOS	URES																				

 Because of color dye and natural raw materials inconsistencies, products will have color shade and texture variations.
In Shellock pavers, natural shells are embedded at different distances from the surface of the material, and then polished. Therefore, a small percentage of the shells are expected to come loose from the surface and edges of the tile. This occurrence will diminish over a short span of time and in no way

will affect the strength of the product. Please expect variations in colors and some chipping and non-perfect edges. These details are intended to enhance the appearance of our pavers. Due to the process required to manufacture, package, deliver, unpack, install and compact, small chipping can be expected. Pavers are calibrated to achieve a uniform thickness and are manufactured in metric sizes and are rounded to the closest equivalent size in inches. Please refer to the actual sizes listed above in millioneters for accuracy.

- Coping will be slightly smaller than nominal dimensions due to the processes required to manufacture them. Please refer to the actual sizes listed above

in millimeters for accuracy. The dimension marked with (B) is the bullnose side. (*) The 4x8 border pavers are machine cut and not dimensionally consistent. Artistic Paver Mfg. recommends these pavers should be used strictly as border material, therefore, not recommended for field material.

border material, unercore, not record, in the continuitation of the material in the best color consistency. Pavers should be installed form several pallets at a time to maintain the best color consistency. Due to the diversity in the natural aggregates used to make our pavers, the difference in aggregates in each plant and other elements beyond our control, the colors seen here may not exactly match the each color of the paver. Before your make your decision, we recommend verifying your selection

at your local Artistic Paver retailer. Colors on printed material or published on our website may vary from actual pavers. Before making a decision, we recommend verifying your selection at your local Artistic Paver retailer.



MADE IN USA

XIII-MMX)